



CANADIAN RESIDENTIAL GAS REPLACEMENT PARTS LIST

Residential Gas Power Vent Models



Models Covered:

RG(1,2)PV40S*19

RG(1,2)PV40T*19

RG2PV50H*19

RG(1,2)PV50S*19

RG(1,2)PV50T*19

RG1PV55H*19

RG2PV60T*19

RG2PV75H*19

*Denotes warranty year


Effective: March, 2026
ECO 8927

NOTE: BOTH MODEL AND SERIAL
NUMBERS ARE REQUIRED FOR
ORDERING REPLACEMENT PARTS

Dimensions and specifications
subject to change without notice.



As required by the state of California Proposition 65.




Item Description	Model	Model
	RG1PV40S*(N,X)19	RG1PV50S*(N,X)19
1 Blower Complete	415-53662-00	415-53662-00
2 Gasket Adapter Rubber PVC	415-53864-00	415-53864-00
3 Pressure Switch	415-45867-05	415-45867-05
4 Blower Temperature Switch	415-53692-00	415-53692-00
5 Blower Gasket	415-53693-00	415-53693-00
6 Blower Power Cord	239-44466-00	239-44466-00
7 Condensate Hose Kit (Optional)	415-45875-00	415-45875-00
8 Heat Trap Insert (Outlet)	415-45167-00	415-45167-00
9 Hot Water Outlet Anode (Magnesium)▲#	415-55482-00	415-55482-00
Hot Water Outlet (Aluminum)▲#	415-55484-00	415-55484-00
Hot Water Outlet (A420 Aluminum)▲#	415-55486-00	415-55486-00
10 Flue Baffle	243-53013-00	243-53013-00
11 Heat Trap Insert (Inlet)	415-51556-00	415-51556-00
12 Cold Water Inlet Dip Tube ▲▲	229-53466-05	415-51230-38
13 Safety Circuit Wire Harness	239-53966-01	239-53966-01
14 T&P Relief Valve	415-40594-02	415-40594-02
15 Outer Door	243-43962-00	243-43962-00
16 Right Side Inner Door Complete w/Gasket	239-45642-18	239-45642-20
17 Screw-#8-15 x 3/4 HWH	239-44195-00	239-44195-00
18 Left Side Inner Door Complete w/Gasket	239-43968-01	239-43968-01
19 Screw-#10-12 x 3/4 HWH	239-52581-00	239-52581-00
20 Brass Drain Valve	415-42351-02	415-42351-02
21 Flammable Vapor Sensor Clip	239-45648-00	239-45648-00
22 Flammable Vapor Sensor	415-45560-00	415-45560-00
23 Flammable Vapor Sensor Harness	239-49791-00	239-49791-00
24 Inner Door Gasket Kit	239-44078-00	239-44078-00
25 ASSE Approved Mixing Valve (Optional)	239-51778-00	239-51778-00
26 Kit-Heat Trap Insert	265-51572-00	265-51572-00
27 Gas Valve Natural Gas	239-48795-01	239-48795-01
Gas Valve LP Gas	239-48796-01	239-48796-01
28 Insulation Kit	239-48949-00	239-48949-00

*Applies to all warranties


Anode may need to be cut to length

▲ Order with item 9

▲▲ Order with item 12



NATURAL GAS (BN) BURNER ASSEMBLY



LP GAS (SX) BURNER ASSEMBLY


LP GAS (SX) BURNER ASSEMBLY TO REPLACE LP GAS (CX) BURNER ASSEMBLY

Item Description	Model	Model
	RG1PV40S*(N,X)19	RG1PV50S*(N,X)19
<u>Natural Gas Burner Assembly</u>		
29 Nat Gas Burner Assembly Complete***	265-47439-06-32	265-47439-09-32
30 Nat. Gas (N) Burner**	228-42506-00	228-42506-00
31 Nat. Gas (N) Main Burner Orifice 0 Ft. to 2,000 Ft. **	234-41034-32	234-41034-32
Nat. Gas (N) High Altitude Orifice 0 Ft. to 4,500 Ft. (-220 model suffixes) **	234-41034-33	234-41034-33
32 Nat. Gas (N) Feedline	233-47431-03	233-47431-04
33 Nat. Gas Pilot Assembly**	233-45653-05	233-45653-05
<u>LP Gas Burner Assembly</u>		
34 LP Gas Burner Assembly Complete***	265-47440-09-50	265-47440-15-50
35 LP Gas (X) Burner**	228-46964-00	228-46964-00
36 LP Gas (X) Main Burner Orifice 0 Ft. to 2,000 Ft. **	234-47064-50	234-47064-50
LP Gas (X) High Altitude Orifice 0 Ft. to 4,500 Ft. (-220 model suffixes) **	234-47064-51	234-47064-51
37 LP Gas (X) Feedline	233-47432-03	233-47432-03
38 LP Gas Pilot Assembly**	233-45653-04	233-45653-04
LP to Nat. Gas Conversion Kit (Norm Alt.) 0 Ft. to 2,000 Ft.	265-46493-02	265-46493-06
LP to Nat. Gas Conversion Kit (High Alt.) 0 Ft. to 4,500 Ft. (-220 model suffixes)	265-46493-03	265-46493-03

*Applies to all warranties.

**Inner door gasket kit recommended.

***Ordering a complete burner assembly may increase delivery time. Please order the specific component required for the quickest delivery.




Item Description	Model	Model	Model
	RG2PV40T*(N,X)19	RG2PV50T*(N,X)19	RG2PV60T*(N,X)19
1 Blower Complete	415-53662-00	415-53662-00	415-53662-00
2 Gasket Adapter Rubber PVC	415-53864-00	415-53864-00	415-53864-00
3 Pressure Switch	415-45867-05	415-45867-05	415-45867-05
4 Blower Temperature Switch	415-53692-00	415-53692-00	415-53692-00
5 Blower Gasket	415-53693-00	415-53693-00	415-53693-00
6 Blower Power Cord	239-44466-00	239-44466-00	239-44466-00
7 Condensate Hose Kit (Optional)	415-45875-00	415-45875-00	415-45875-00
8 Heat Trap Insert (Outlet)	415-45167-00	415-45167-00	415-45167-00
9 Hot Water Outlet Anode (Magnesium)▲#	415-55482-00	415-55482-00	415-55482-00
Hot Water Outlet (Aluminum)▲#	415-55484-00	415-55484-00	415-55484-00
Hot Water Outlet (A420 Aluminum)▲#	415-55486-00	415-55486-00	415-55486-00
10 Flue Baffle	239-53012-00	239-53012-00	239-53012-00
11 Heat Trap Insert (Inlet)	415-51556-00	415-45167-00	415-45167-00
12 Cold Water Inlet Dip Tube ▲▲	229-53466-01	415-45092-06	415-45092-06
13 Safety Circuit Wire Harness	239-53966-02	239-53966-02	239-53966-02
14 T&P Relief Valve	415-40594-02	415-40594-02	415-40594-02
15 Outer Door	243-43962-00	243-43962-00	243-43962-00
16 Right Side Inner Door Complete w/Gasket	239-43963-16	239-45642-18	239-45642-20
17 Screw-#8-15 x 3/4 HWH	239-44195-00	239-44195-00	239-44195-00
18 Left Side Inner Door Complete w/Gasket	239-43968-01	239-43968-01	239-43968-01
19 Screw-#10-12 x 3/4 HWH	239-52581-00	239-52581-00	239-52581-00
20 Brass Drain Valve	415-42351-02	415-42351-02	415-42351-02
21 Flammable Vapor Sensor Clip	239-45648-00	239-45648-00	239-45648-00
22 Flammable Vapor Sensor	415-45560-00	415-45560-00	415-45560-00
23 Flammable Vapor Sensor Harness	239-49791-00	239-49791-00	239-49791-00
24 Inner Door Gasket Kit	239-44078-00	239-44078-00	239-44078-00
25 ASSE Approved Mixing Valve (Optional)	239-51778-00	239-51778-00	239-51778-00
26 Kit-Heat Trap Insert	265-51572-00	265-45420-00	265-45420-00
27 Gas Valve Natural Gas	239-48795-02	239-48795-02	239-48795-02
Gas Valve LP Gas	239-48796-02	239-48796-02	239-48796-02
28 Insulation Kit	239-48949-00	239-48949-00	239-48949-00

*Applies to all warranties


Anode may need to be cut to length

▲ Order with item 9

▲▲ Order with item 12



NATURAL GAS (BN) BURNER ASSEMBLY



LP GAS (SX) BURNER ASSEMBLY


LP GAS (SX) BURNER ASSEMBLY TO REPLACE LP GAS (CX) BURNER ASSEMBLY

Item Description	Model RG2PV40T*(N,X)19	Model RG2PV50T*(N,X)19	Model RG2PV60T*(N,X)19
<u>Natural Gas Burner Assembly</u>			
29 Nat Gas Burner Assembly Complete***	265-47439-06-32	265-47439-09-32	265-47439-09-32
30 Nat. Gas (N) Burner**	228-42506-00	228-42506-00	228-42506-00
31 Nat. Gas (N) Main Burner Orifice 0 Ft. to 2,000 Ft. **	234-41034-32	234-41034-32	234-41034-32
Nat. Gas (N) High Altitude Orifice 0 Ft. to 4,500 Ft. (-220 model suffixes) **	234-41034-33	234-41034-33	234-41034-33
32 Nat. Gas (N) Feedline	233-47431-03	233-47431-04	233-47431-04
33 Nat. Gas Pilot Assembly**	233-45653-05	233-45653-05	233-45653-05
<u>LP Gas Burner Assembly</u>			
34 LP Gas Burner Assembly Complete***	265-47440-09-50	265-47440-15-50	265-47316-15-50
35 LP Gas (X) Burner**	228-46964-00	228-46964-00	228-46964-00
36 LP Gas (X) Main Burner Orifice 0 Ft. to 2,000 Ft. **	234-47064-50	234-47064-50	234-47064-50
LP Gas (X) High Altitude Orifice 0 Ft. to 4,500 Ft. (-220 model suffixes) **	234-47064-51	234-47064-51	234-47064-51
37 LP Gas (X) Feedline	233-47432-03	233-47432-03	233-47432-04
38 LP Gas Pilot Assembly**	233-45653-04	233-45653-04	233-45653-04
LP to Nat. Gas Conversion Kit (Norm Alt.) 0 Ft. to 2,000 Ft.	265-46493-83	265-46493-68	265-46493-83
LP to Nat. Gas Conversion Kit (High Alt.) 0 Ft. to 4,500 Ft. (-220 model suffixes)	265-46493-84	265-46493-86	265-46493-88

*Applies to all warranties.

**Inner door gasket kit recommended.

***Ordering a complete burner assembly may increase delivery time. Please order the specific component required for the quickest delivery.




Item Description	Model	Model
	RG2PV40S*(N,X)19	RG2PV50S*(N,X)19
1 Blower Complete	415-53662-00	415-53662-00
2 Gasket Adapter Rubber PVC	415-53864-00	415-53864-00
3 Pressure Switch	415-45867-05	415-45867-05
4 Blower Temperature Switch	415-53692-00	415-53692-00
5 Blower Gasket	415-53693-00	415-53693-00
6 Blower Power Cord	239-44466-00	239-44466-00
7 Condensate Hose Kit (Optional)	415-45875-00	415-45875-00
8 Heat Trap Insert (Outlet)	415-45167-00	415-45167-00
9 Hot Water Outlet Anode (Magnesium)▲#	415-55482-00	415-55482-00
Hot Water Outlet (Aluminum)▲#	415-55484-00	415-55484-00
Hot Water Outlet (A420 Aluminum)▲#	415-55486-00	415-55486-00
10 Flue Baffle	239-53013-00	239-53013-00
11 Heat Trap Insert (Inlet)	415-51556-00	415-51556-00
12 Cold Water Inlet Dip Tube ▲▲	229-53466-05	415-51230-38
13 Safety Circuit Wire Harness	239-53966-01	239-53966-01
14 T&P Relief Valve	415-40594-02	415-40594-02
15 Outer Door	243-43962-00	243-43962-00
16 Right Side Inner Door Complete w/Gasket	239-45642-18	239-45642-20
17 Screw-#8-15 x 3/4 HWH	239-44195-00	239-44195-00
18 Left Side Inner Door Complete w/Gasket	239-43968-01	239-43968-01
19 Screw-#10-12 x 3/4 HWH	239-52581-00	239-52581-00
20 Brass Drain Valve	415-42351-02	415-42351-02
21 Flammable Vapor Sensor Clip	239-45648-00	239-45648-00
22 Flammable Vapor Sensor	239-45560-00	239-45560-00
23 Flammable Vapor Sensor Harness	239-49791-00	239-49791-00
24 Inner Door Gasket Kit	239-44078-00	239-44078-00
25 ASSE Approved Mixing Valve (Optional)	239-51778-00	239-51778-00
26 Kit-Heat Trap Insert	265-51572-00	265-51572-00
27 Gas Valve Natural Gas	239-48795-02	239-48795-02
Gas Valve LP Gas	239-48796-02	239-48796-02
28 Insulation Kit	239-48949-00	239-48949-00

*Applies to all warranties


Anode may need to be cut to length

▲ Order with item 9

▲▲ Order with item 12



NATURAL GAS (BN) BURNER ASSEMBLY



LP GAS (SX) BURNER ASSEMBLY


LP GAS (SX) BURNER ASSEMBLY TO REPLACE LP GAS (CX) BURNER ASSEMBLY

Item Description	Model RG2PV40S*(N,X)19	Model RG2PV50S*(N,X)19
Natural Gas Burner Assembly		
29 Nat Gas Burner Assembly Complete***	265-47439-09-32	265-47439-09-32
30 Nat. Gas (N) Burner**	228-42506-00	228-42506-00
31 Nat. Gas (N) Main Burner Orifice 0 Ft. to 2,000 Ft. **	234-41034-32	234-41034-32
Nat. Gas (N) High Altitude Orifice 0 Ft. to 4,500 Ft. (-220 model suffixes) **	234-41034-33	234-41034-33
32 Nat. Gas (N) Feedline	233-47431-04	233-47431-04
33 Nat. Gas Pilot Assembly**	233-45653-05	233-45653-05
LP Gas Burner Assembly		
34 LP Gas Burner Assembly Complete***	265-47440-09-50	265-47440-15-50
35 LP Gas (X) Burner**	228-46964-00	228-46964-00
36 LP Gas (X) Main Burner Orifice 0 Ft. to 2,000 Ft. **	234-47064-50	234-47064-50
LP Gas (X) High Altitude Orifice 0 Ft. to 4,500 Ft. (-220 model suffixes) **	234-47064-51	234-47064-51
37 LP Gas (X) Feedline	233-47432-03	233-47432-03
38 LP Gas Pilot Assembly**	233-45653-04	233-45653-04
LP to Nat. Gas Conversion Kit (Norm Alt.) 0 Ft. to 2,000 Ft.	265-46493-68	265-46493-87
LP to Nat. Gas Conversion Kit (High Alt.) 0 Ft. to 4,500 Ft. (-220 model suffixes)	265-46493-86	265-46493-86

*Applies to all warranties.

**Inner door gasket kit recommended.

***Ordering a complete burner assembly may increase delivery time. Please order the specific component required for the quickest delivery.



Item Description	Model
	RG1PV55H*(N,X)19♦
1 Blower Complete	415-54694-00
2 Gasket Adapter Rubber PVC	415-53864-00
3 Pressure Switch	415-45867-06
4 Blower Temperature Switch	415-53995-00
5 Blower Gasket	415-53693-00
6 Blower Power Cord	239-45990-00
7 3" Exhaust Adaptor w/Vent Terminal	239-54316-00
8 Condensate Hose Kit (Optional)	415-45875-00
9 Heat Trap Insert (Outlet)	415-45167-00
10 Hot Water Outlet Anode (Magnesium)▲#	415-55482-00
Hot Water Outlet (Aluminum)▲#	415-55484-00
Hot Water Outlet (A420 Aluminum)▲#	415-55486-00
11 Flue Baffle	239-51893-00
12 Heat Trap Insert (Inlet)	415-45167-00
13 Cold Water Inlet Dip Tube (PEX)▲▲	229-53466-04
14 Safety Circuit Wire Harness	239-53966-02
15 T&P Relief Valve	415-40594-01
16 Outer Door	239-43962-00
17 Right Side Inner Door Complete w/Gasket	239-45642-20
18 Screw-#8-15 x 3/4 HWH	239-44195-00
19 Left Side Inner Door Complete w/Gasket	239-43968-01
20 Screw-#10-12 x 3/4 HWH	239-52581-00
21 Brass Drain Valve	415-42351-02
22 Flammable Vapor Sensor Clip	239-45648-00
23 Flammable Vapor Sensor	415-45560-00
24 Flammable Vapor Sensor Harness	239-45620-00
25 Inner Door Gasket Kit	239-44078-00
26 ASSE Approved Mixing Valve (Optional)	239-51778-00
27 Kit-Heat Trap Insert	265-51572-00
28 Gas Valve Natural Gas	415-48795-03
Gas Valve LP Gas	415-48796-03
29 Flammable Vapor Sensor Harness	239-49791-00
30 FV Sensor and Thermal Switch Harness	239-50066-00
31 Flue Reducer	243-42572-00
32 3/4" NPT Pipe Plug	239-11638-00


* Applies to all warranties

Anode may need to be cut to length; see end of this parts list for further information.


▲ Order with item 9

▲▲ Order with item 12

♦ RG2PV75H and RG1PV55H models are not flammable vapor compliant.



NATURAL GAS (BN) BURNER ASSEMBLY



LP GAS (SX) BURNER ASSEMBLY

LP GAS (SX) BURNER ASSEMBLY TO REPLACE LP GAS (CX) BURNER ASSEMBLY


Item Description	Model
	RG1PV55H*(N,X)19♦
Natural Gas Burner Assembly	
33 Nat Gas Burner Assembly Complete***	265-47439-15-24
34 Nat. Gas (N) Burner**	228-47000-00
35 Nat. Gas (N) Main Burner Orifice 0 Ft. to 10,100 Ft. **	234-41034-24
36 Nat. Gas (N) Feedline	233-47431-04
37 Nat. Gas Pilot Assembly**	415-45653-05
LP Gas Burner Assembly	
38 LP Gas Burner Assembly Complete***	265-47440-31-40
39 LP Gas (X) Burner**	228-46964-00
40 LP Gas (X) Main Burner Orifice 0 Ft. to 10,100 Ft. **	234-47064-40
41 LP Gas (X) Feedline	233-47432-03
42 LP Gas Pilot Assembly**	233-54338-02
LP to Nat. Gas Conversion Kit 0 Ft. to 10,100 Ft.	265-46493-132

* Applies to all warranties.

** Inner door gasket kit recommended.

*** Ordering a complete burner assembly may increase delivery time. Please order the specific component required for the quickest delivery.

♦RG2PV75H and RG1PV55H models are not flammable vapor compliant.




Item Description	Model
	RG2PV50H*(N,X)19
1 Blower Complete	415-54694-00
2 Gasket Adapter Rubber PVC	415-53864-00
3 Pressure Switch	415-45867-06
4 Blower Temperature Switch	415-53995-00
5 Blower Gasket	415-53693-00
6 Blower Power Cord	239-45990-00
7 3" Exhaust Adaptor w/Vent Terminal	239-54316-00
8 Condensate Hose Kit (Optional)	415-45875-00
9 Heat Trap Insert (Outlet)	415-45167-00
10 Hot Water Outlet Anode (Magnesium)▲#	415-55482-00
Hot Water Outlet (Aluminum)▲#	415-55484-00
Hot Water Outlet (A420 Aluminum)▲#	415-55486-00
11 Flue Baffle	239-45373-00
12 Heat Trap Insert (Inlet)	415-51556-00
13 Cold Water Inlet Dip Tube▲▲	415-51230-20
14 Safety Circuit Wire Harness	239-53966-02
15 T&P Relief Valve	415-40594-02
16 Outer Door	239-43962-00
17 Right Side Inner Door Complete w/Gasket	239-45642-18
18 Screw-#8-15 x 3/4 HWH	239-44195-00
19 Left Side Inner Door Complete w/Gasket	239-43968-01
20 Screw-#10-12 x 3/4 HWH	239-52581-00
21 Brass Drain Valve	415-42351-02
22 Flammable Vapor Sensor Clip	239-45648-00
23 Flammable Vapor Sensor	415-45560-00
24 Flammable Vapor Sensor Harness	239-45620-00
25 Inner Door Gasket Kit	239-44078-00
26 ASSE Approved Mixing Valve (Optional)	239-51778-00
27 Kit-Heat Trap Insert	265-51572-00
28 Gas Valve Natural Gas	415-48795-02
Gas Valve LP Gas	415-48796-02
29 Flammable Vapor Sensor Harness	239-49791-00
30 FV Sensor and Thermal Switch Harness	239-50066-00
31 Insulation Kit	239-48949-00
32 Flue Reducer	239-53963-00
33 3/4" NPT Pipe Plug	239-11638-00

* Applies to all warranties


Anode may need to be cut to length; see end of this parts list for further information.

▲ Order with item 9

▲▲ Order with item 12



NATURAL GAS (BN) BURNER ASSEMBLY



LP GAS (SX) BURNER ASSEMBLY


LP GAS (SX) BURNER ASSEMBLY TO REPLACE LP GAS (CX) BURNER ASSEMBLY

Item Description	Model
	RG2PV50H*(N,X)19
Natural Gas Burner Assembly	
34 Nat Gas Burner Assembly Complete***	265-47439-06-27
35 Nat. Gas (N) Burner**	228-42506-00
36 Nat. Gas (N) Main Burner Orifice 0 Ft. to 10,100 Ft. **	234-41034-27
37 Nat. Gas (N) Feedline	233-47431-04
38 Nat. Gas Pilot Assembly**	415-45653-05
LP Gas Burner Assembly	
39 LP Gas Burner Assembly Complete***	265-47440-31-43
40 LP Gas (X) Burner**	228-46964-00
41 LP Gas (X) Main Burner Orifice 0 Ft. to 10,100 Ft. **	234-47064-44
42 LP Gas (X) Feedline	233-47432-03
43 LP Gas Pilot Assembly**	233-54338-02
LP to Nat. Gas Conversion Kit 0 Ft. to 10,100 Ft.	265-46493-130

* Applies to all warranties.

** Inner door gasket kit recommended.

*** Ordering a complete burner assembly may increase delivery time. Please order the specific component required for the quickest delivery.



Item Description	Model
	RG2PV75H*(N,X)19♦
1 Blower Complete	415-54694-00
2 Gasket Adapter Rubber PVC	415-53864-00
3 Pressure Switch	415-45867-07
4 Blower Temperature Switch	415-53995-00
5 Blower Gasket	415-53693-00
6 Blower Power Cord	239-45990-00
7 3" Exhaust Adaptor w/Vent Terminal	239-54316-00
8 Condensate Hose Kit (Optional)	415-45875-00
9 Heat Trap Insert (Outlet)	415-45167-00
10 Hot Water Outlet Anode (Magnesium)▲#	415-55482-00
Hot Water Outlet (Aluminum)▲#	415-55484-00
Hot Water Outlet (A420 Aluminum)▲#	415-55486-00
11 Flue Baffle	239-45373-00
12 Heat Trap Insert (Inlet)	415-51556-00
13 Cold Water Inlet Dip Tube ▲▲	415-51230-20
14 Safety Circuit Wire Harness	239-53966-02
15 T&P Relief Valve	415-40594-02
16 Outer Door	239-43962-00
17 Right Side Inner Door Complete w/Gasket	239-47504-22
18 Screw-#8-15 x 3/4 HWH	239-44195-00
19 Left Side Inner Door Complete w/Gasket	239-43968-01
20 Screw-#10-12 x 3/4 HWH	239-52581-00
21 Brass Drain Valve	415-42351-02
22 Inner Door Gasket Kit	239-47792-00
23 ASSE Approved Mixing Valve (Optional)	239-51778-00
24 Kit-Heat Trap Insert	265-51572-00
25 Gas Valve Natural Gas	415-48795-02
Gas Valve LP Gas	415-48796-02
26 Simulated Resistive Device Harness	239-49817-00
27 Flue Reducer	243-42572-00
28 3/4" NPT Pipe Plug	239-11638-00


* Applies to all warranties

Anode may need to be cut to length; see end of this parts list for further information.


▲ Order with item 9

▲▲ Order with item 12

♦ RG2PV75H and RG1PV55H models are not flammable vapor compliant.



NATURAL GAS (BN) BURNER ASSEMBLY



LP GAS (SX) BURNER ASSEMBLY

LP GAS (SX) BURNER ASSEMBLY TO REPLACE LP GAS (CX) BURNER ASSEMBLY

Item Description	Model
	RG2PV75H*(N,X)19♦
Natural Gas Burner Assembly	
29 Nat Gas Burner Assembly Complete***	265-54340-01-21
30 Nat. Gas (N) Burner**	228-47000-00
31 Nat. Gas (N) Main Burner Orifice 0 Ft. to 10,100 Ft. **	234-41034-21
32 Nat. Gas Feedline	233-54337-04
33 Nat. Gas Pilot Assembly**	415-45653-05
LP Gas Burner Assembly	
34 LP Gas Burner Assembly Complete***	265-54342-01-40
35 LP Gas (X) Burner**	228-54313-00
36 LP Gas (X) Main Burner Orifice 0 Ft. to 10,100 Ft. **	234-47064-40
37 LP Feedline	233-47672-04
38 LP Gas Pilot Assembly**	233-54338-02
LP to Nat. Gas Conversion Kit 0 Ft. to 10,100 Ft.	265-46493-134

* Applies to all warranties.

** Inner door gasket kit recommended.

*** Ordering a complete burner assembly may increase delivery time. Please order the specific component required for the quickest delivery.

♦RG2PV75H and RG1PV55H models are not flammable vapor compliant.



United States

Sales	1-800-523-2931
Technical Support	1-800-334-3393
Email	<i>techsupport@bradfordwhite.com</i>
Warranty	1-800-531-2111
Email	<i>warranty@bradfordwhite.com</i>
Service Parts	1-800-538-2020
Email	<i>parts@bradfordwhite.com</i>

Canada

Sales	1-866-690-0961 1-905-203-0600
Fax	905-636-0666
Warranty	1-800-531-2111
Email	<i>warranty@bradfordwhite.com</i>
Technical Support	1-800-334-3393
Email	<i>techsupport@bradfordwhite.com</i>
Service Parts and Orders	<i>ca.orders@bradfordwhite.com</i>

For U.S. and Canada field service, contact your professional installer or local Bradford White sales representative.

International

General Contact	<i>international@bradfordwhite.com</i>
------------------------	---